Barbara reflectors for Bridgelux BXRA C/N/W- 0800/1200/2000 series of LEDs

BRIDGELUX
The Magic of Light™



- Specially designed for Bridgelux BXRA-C/N/W- 0800/1200/2000 series of LEDs.
- Special care taken to make a uniform white or warm white illumination.
- Diameter 70mm
- Reflector is made of aluminum coated PC (120°C/248F) with protective laquer (110°C/230F)
- Please check fastening details from this link: (http://www.ledil.com/datasheets/DataSheet_GLUES.pdf)

LENS TYPES

NAME	ORDERING CODE	FWHM Angle
Barbara Spot	C11552_Barbara-S	±8°
Barbara Wide	C11553_Barbara-W	±20°

© Ledil Oy – PRELIMINARY - Subject to change without prior notice

Ledil Oy
Tehdaskatu 13
FIN-24100 SALO, Finland

www.ledil.com
email: ledil@ledil.com
FAX: +358-2-733 8001

2010-08-18

MEASUREMENT DATA



© Ledil Oy – PRELIMINARY - Subject to change without prior notice

Ledil Oy
Tehdaskatu 13
FIN-24100 SALO, Finland

www.ledil.com
email: ledil@ledil.com
FAX: +358-2-733 8001

2010-08-18

Relative intensity of C11553_Barbara-W



© Ledil Oy – PRELIMINARY - Subject to change without prior notice

Ledil Oy
Tehdaskatu 13
FIN-24100 SALO, Finland

www.ledil.com
email: ledil@ledil.com
FAX: +358-2-733 8001

2010-08-18

DRAWINGS



© Ledil Oy – PRELIMINARY - Subject to change without prior notice

Ledil Oy
Tehdaskatu 13
FIN-24100 SALO, Finland

www.ledil.com
email: ledil@ledil.com
FAX: +358-2-733 8001