

NIS036 SQUARE lenses for Nichia 036 Series



- Designed & optimized for Nichia Rigel (036) series of LEDs
- Special care taken to make a uniform white or warm white illumination. Lenses work well with other colors, too.
- Compatibel with the Nichia JIGSAW board
- Lens material optical grade PC with high UV and temperature resistance (130°C/220°F). Allows use of high current and temperature conditions
- Best available optical efficiency, up to 90%, with an extremely good cutoff of light
- Integrated holder. Fastening to PCB (JIGSAW or custom-made) with appropriate glue. 4 pins for exact positioning of lenses. Pins fit with JIGSAW board layout.
- Compact dimensions 21.6 x 21.6 mm. Square form enables easy build of matrix without any gaps between lenses.


LENS TYPES

NAME	ORDERING CODE	PRELIMINATY DATA ON FWHM Angle
NIS036 REAL SPOT	FA10934_NIS036-RS	±4°
NIS036 SMOOTH SPOT	FA10935_NIS036-SS	±7°
NIS036 MEDIUM	FA10936_NIS036-D	±14°
NIS036 DIFFUSER	FA10937_NIS036-M	±8°
NIS036 OVAL	FA10938_NIS036-O	±5° x ±25°
NIS036 OVAL TURNED 90°	4FA11160_NIS036-O-90	±5° x ±25°
NIS036 Wide	FA10939_NIS036-W	±29°


© Ledil Oy – PRELIMINARY - Subject to change without prior notice

MEASUREMENTS

NIS036-RS




NIS036-SS




© Ledil Oy – PRELIMINARY - Subject to change without prior notice

NIS036-D



NIS036-M




© Ledil Oy – PRELIMINARY - Subject to change without prior notice

Ledil Oy
Tehdaskatu 13
FIN-24100 SALO, Finland


www.ledil.com
email: ledil@ledil.com
FAX: +358-2-733 8001

2009-11-29

NIS036-O



NIS036-W



© Ledil Oy – PRELIMINARY - Subject to change without prior notice


PHOTOS




NIS036-RS




NIS036-SS



NIS036-D




NIS036-M



NIS036-O

NIS036-W

DIMENSIONS



PACKAGING



NIS036 lens holders are delivered on adhesive tape liner sheets, each sheet containing 60 lenses. Lenses are delivered separately. This is to ease the assembly: Rigel ceramic package has so low profile that a proper guidance without seeing is not possible.

SPECIAL VERSIONS

Special versions available on request, e.g. different lens holder colors or packaging sizes.

© Ledil Oy – PRELIMINARY - Subject to change without prior notice